



SUBLIMATION PAPER



SELECTION CHECKLIST

WEEKLY LIST



CHECK INK LOAD:

LOW INK (SIMPLE DESIGNS)? USE 80GSM.
HIGH INK (BOLD LOGOS)? CHOOSE 110GSM+.



MATCH PRINTING SETUP:

ROLL-TO-ROLL (BANNERS)? 80GSM, OR 110GSM
FOR HEAVY INK.
ROLL-TO-SHEET (MUGS)? 100-120GSM.



SET PRINT SPEED:

FAST (BULK T-SHIRTS)? 80GSM.
SLOW (DETAILED CUSHIONS)? 110GSM+.



CONSIDER HUMIDITY:

LOW (<45%)? 80GSM TO AVOID PRINT HEAD DAMAGE.
HIGH (>70%)? 110-120GSM FOR SMOOTH PRINTING.



CHOOSE FOR PROJECT:

APPAREL (UNIFORMS)? 80-100GSM.
DECOR/SIGNS (PATIO BANNERS)? 110-120GSM.
HARD SURFACES (MUGS)? 100-120GSM.



PREVENT ISSUES:

CURLING? USE 110GSM+ FOR HEAVY INK.

SHIFTING? SECURE WITH TAPE OR USE STICKY PAPER.

STORE PAPER IN A COOL, DRY PLACE.



TEST YOUR SETUP:

RUN A TEST PRINT TO CHECK COLORS AND ADHESION.

ADJUST HEAT PRESS (E.G., 400°F, 40 SEC).

PRO TIP: START WITH 100GSM FOR VERSATILE RESULTS.
FOR OUTDOOR PATIO SIGNS, PAIR 110GSM WITH UV-
RESISTANT POLYESTER.

READY TO PRINT? TEST A SAMPLE PACK AND SHARE YOUR
PROJECTS ON X (
[@HOTTUBPATIO](#)
)! LEARN MORE AT [SUBLI GENIUS PRINT](#)